

Crossover:

Butterworth high pass filter.

Crossover point: 35Hz

Slope: 18dB

Parametric EQ:

No.	Frequency	Q	Gain
1	200 Hz	4.5	-4 dB
2	275 Hz	4	-3 dB
3	608 Hz	2	-3.5db
4	5 kHz	2.5	-3 dB
5	12.4 kHz	6	-2.5 dB
6	17.2 kHz	3.5	-6 dB

High shelf filter:

No.	Frequency	Q	Gain
1	2 kHz	1	2 dB

Low shelf filter:

NA

Crossover:

Butterworth high pass filter.

Crossover point: 35Hz

Slope: 18dB

Parametric EQ:

No.	Frequency	Q	Gain
1	63 dB	1	6 dB
2	200 Hz	4.5	-4 dB
3	275 Hz	4	-3 dB
4	608 Hz	2	-3.5db
5	5 kHz	2.5	-3 dB
6	12.4 kHz	6	-2.5 dB
7	17.2 kHz	3.5	-6 dB

High shelf filter:

No.	Frequency	Q	Gain
1	2 kHz	1	-2 dB

Low shelf filter:

NA

RF6**DSP output:**

RF 6 output: 0 dB

Crossover:

Butterworth high pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

No.	Frequency	Q	Gain
1	200 Hz	4.5	-4 dB
2	275 Hz	4	-3 dB
3	608 Hz	2	-3.5db
4	5 kHz	2.5	-3 dB
5	12.4 kHz	6	-2.5 dB
6	17.2 kHz	3.5	-6 dB

High shelf filter:

No.	Frequency	Q	Gain
1	2 kHz	1	2 dB

Low shelf filter:

NA

RFS12**DSP output:**

RFS 12 output: +3dB

Crossover:

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

NA

High shelf filter:

NA

Low shelf filter:

NA

RF6**DSP output:**

RF 6 output: 0 dB

Crossover:

Butterworth high pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

No.	Frequency	Q	Gain
1	200 Hz	4.5	-4 dB
2	275 Hz	4	-3 dB
3	608 Hz	2	-3.5db
4	5 kHz	2.5	-3 dB
5	12.4 kHz	6	-2.5 dB
6	17.2 kHz	3.5	-6 dB

High shelf filter:

No.	Frequency	Q	Gain
1	2 kHz	1	2 dB

Low shelf filter:

NA

RFS12**DSP output:**

RFS 12 output: +7dB

Crossover:

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

NA

High shelf filter:

NA

Low shelf filter:

NA