

DSP output:

RF 10 output: 0 dB

Crossover:

Butterworth high pass filter.

Crossover point: 35Hz

Slope: 24dB

Parametric EQ:

| No. | Frequency | Q | Gain |
|-----|-----------|---|---------|
| 1 | 144 Hz | 4 | -2.5 dB |
| 2 | 238 Hz | 4 | -1.5 dB |
| 3 | 520 Hz | 3 | -1.5db |
| 4 | 4.4 kHz | 3 | -3 dB |
| 5 | 10.6 kHz | 3 | -2 dB |

High shelf filter:

| No. | Frequency | Q | Gain |
|-----|-----------|---|--------|
| 1 | 2 kHz | 1 | 3.3 dB |

Low shelf filter:

NA

DSP output:

RF 10 output: +3 dB

Crossover:

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 24dB

Parametric EQ:

| No. | Frequency | Q | Gain |
|-----|-----------|-----|---------|
| 1 | 144 Hz | 4 | -2.5 dB |
| 2 | 238 Hz | 4 | -1.5 dB |
| 3 | 520 Hz | 3 | -1.5db |
| 4 | 4.4 kHz | 3 | -3 dB |
| 5 | 65 Hz | 1.5 | 6 dB |
| 6 | 135 Hz | 4.5 | -3 dB |

High shelf filter:

| No. | Frequency | Q | Gain |
|-----|-----------|---|-------|
| 1 | 150 Hz | 1 | -3 dB |

Low shelf filter:

NA

RF10**DSP output:**

RF 10 output: 0 dB

Crossover:

Butterworth high pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

| No. | Frequency | Q | Gain |
|-----|-----------|---|---------|
| 1 | 144 Hz | 4 | -2.5 dB |
| 2 | 238 Hz | 4 | -1.5 dB |
| 3 | 520 Hz | 3 | -1.5db |
| 4 | 4.4 kHz | 3 | -3 dB |
| 5 | 10.6 kHz | 3 | -2 dB |

High shelf filter:

| No. | Frequency | Q | Gain |
|-----|-----------|---|--------|
| 1 | 2 kHz | 1 | 3.3 dB |

Low shelf filter:

NA

RFS12**DSP output:**

RFS 12 output: +6dB

Crossover:

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

NA

High shelf filter:

NA

Low shelf filter:

NA

RF10**DSP output:**

RF 10 output: -3 dB

Crossover:

Butterworth high pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

| No. | Frequency | Q | Gain |
|-----|-----------|---|---------|
| 1 | 144 Hz | 4 | -2.5 dB |
| 2 | 238 Hz | 4 | -1.5 dB |
| 3 | 520 Hz | 3 | -1.5db |
| 4 | 4.4 kHz | 3 | -3 dB |
| 5 | 10.6 kHz | 3 | -2 dB |

High shelf filter:

| No. | Frequency | Q | Gain |
|-----|-----------|---|--------|
| 1 | 2 kHz | 1 | 3.3 dB |

Low shelf filter:

NA

RFS12**DSP output:**

RFS 12 output: +7dB

Crossover:

Butterworth high pass filter.

Crossover point: 30Hz

Slope: 18dB

Butterworth low pass filter.

Crossover point: 80Hz

Slope: 18dB

Parametric EQ:

NA

High shelf filter:

NA

Low shelf filter:

NA